revised 12-17-02
Reference
ASTM, 1994. E178-94: *Standard Practice for Dealing with Outlying Observations*, ASTM Publications, West Conshohocken, PA.
Baggett, M.S.,Morie, G.P. (1975) Selective removal of semivolatile components of cigarette smoke by various filters, Beitrage zur Tabakforschung, 8(3): 150-152.
Baker, R.B., 2002, "Smoke Chemistry" in *Tobacco Production, Chemistry, and Technology*, Eds. D.L. Davis and M.T. Nielsen, Blackwell Science, Inc., Malden, MA, Ch. 12.
Borgerding, M.F., 1997. The FTC method in 1997 - What alternative smoking condition(s) does the future hold? Recent Advances in Tobacco Science, 23:75-144.
Borgerding, M.F., Bodnar, J.A., Wingate, D.E. (Compiler) Taylor, C.R., Reid, J.R., Sudholz, M.A., Podraza, K.F., Hsu, F.S., Borgerding, M.F., Whidby, J.F. (Principal Investigators), The 1999 Massachusetts Benchmark Study, Final Report July 24, 2000. Available from the Massachusetts Department of Public Health under the Massachusetts (US) public records law
Canada Government Tobacco Act: Tobacco Reporting Regulations, SOR/2000-273. Registration June 26, 2000. Part 3: Emissions from designated tobacco products. Available at: www.cctc.ca/cctclawweb.nsf.
Canada Government Tobacco Act: Tobacco Reporting Regulations, SOR/2000-273. Registration June 26, 2000. Schedule 2: Official Methods for Collection of Emission Data on Mainstream Smoke. Methods Available at: http://www.hc-sc.gc.ca/hecs-sesc/tobacco/legislation/index_testmethods_main.html.
Chepiga, T.A., Morton, M.J., Murphy, P.A., Avalos, J.T., Bombick, B.R., Doolittle, D.J., Borgerding, M.F., Swauger, J.E., 2000. A comparison of the mainstream smoke chemistry and mutagenicity of a representative sample of the US cigarette market with two Kentucky reference cigarettes (K1R4F and K1R5F), Food and Chemical Toxicology, 38: 949-962.
CORESTA, 2000. Smoke Science Study Group; Task Force on Alternative Smoking Regimes. Contact: CORESTA, 11 rue du Quatre Septembre, 75002 Paris, France (web address: coresta.foj.@wanadoo.fr).
CORESTA, 1999. Smoke Science Study Group; Task Force on Special Analytes. CORESTA, 11 rue du Quatre Septembre, 75002 Paris, France (web address: coresta.foj.@wanadoo.fr).
Davis, D.L., Vaught, A., Tso, T.C., Bush, L.P. (1984) Analysis of a new low yield research cigarette. University of Kentucky, Tobacco and Health Research Institute, Lexington, KY.
Dube, M.F. and Green, C. R.,1982. Methods of collection of smoke for analytical purposes. Recent Advances in Tobacco Science, 8, 42-102.
Federal Register, August 1, 1967. Cigarettes: Testing for Tar and Nicotine Content. Vol. 32, No. 147, p. 11178.
Federal Register, July 10, 1980. Cigarettes and Related Matters: Carbon Monoxide, "Tar" and Nicotine Content of Cigarette Smoke; Description of New Machine and Methods to be used in Testing. Vol. 45, No. 134, p. 46483-46487.
Federal Register, September 12, 1997. Cigarette Testing; Request for Public Comment. Vol. 62, No. 177, pp. 48157-48163.
Glantz, Stanton A. and Slinker, Bryan K. (1990), Primer of Applied Regression and Analysis of Variance, McGraw-Hill, Inc.
Griest, W.H., Guerin, M.R. (1977) Influences of tobacco type on smoke composition, Recent Advances in Tobacco Science, 3: 122-144.
Hoffmann, D., 1993, Analysis of Toxic Smoke Constituents, US Consumer Product Safety Commission and US Department of Health and Human Services: Toxicity Testing Plan, Vol. 5, Ch. D.
IARC, 1986. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Vol. 38. Tobacco Smoking, pp. 83-126. International Agency for Research on Cancer, Lyon.

PM3006878321

Source: https://www.industrydocuments.ucsf.edu/docs/lxlx0001

Reference
IARC, 1999. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Vol. 71. Re-Evaluation of Some Oraganic Chemicals, Hydrazine, and Hydrogen Peroxide. pp. 43-108. International Agency for Research on Cancer, Lyon.
International Digest of Health Legislation, Copyright by World Health Organization, 2001. Vol 52. Available at: http://www-nt.who.int/idhl/en/consultidhl.cfm.
International Organization for Standardization; International Standard ISO 3402, 1999, 4th ed. Tobacco and tobacco products - Atmosphere for conditioning and testing.
International Organization for Standardization; International Standard ISO 3308, 2000a, 4th ed. Routine analytical cigarette-smoking machine -- Definitions and standard conditions.
International Organization for Standardization; International Standard ISO 4387, 2000b, 3rd ed. Cigarettes - Determination of total and nicotine-free dry particulate matter using a routine analytical smoking machine.
International Organization for Standardization; International Standard ISO 10315, 2000c, 2nd ed. and Corrigendum 1, 2000. Cigarettes - Determination of carbon monoxide in the vapour phase of cigarette smoke - NDIR method.
Jenkins, R.A., White, S.K. Griest, W.H., and Guerin, M.R., 1983. Chemical characterization of the smokes of selected U.S. commercial cigarettes: tar, nicotine, carbon monoxide, oxides of nitrogen, hydrogen cyanide, and acrolein, OaK Ridge National Laboratory, Contract No. W-74-5-eng-26.
Kohler, H. (1994) "Simple Regression and Correlation" in *Statistics for Business and Economics*, 3rd Ed., HaperCollins College Publishers, New York, NY, Chapter 12.
LGC Report FN40/M03/02. February 2002b. Cigarette yields using intense smoking protocols. Part 4: Volatile organic compounds. Available at: http://www.doh.gov.uk/scoth/pdfs/Part4Intense%20voc.pdf.
LGC Report FN40/M26/00. October 2000a. Cigarette yields using intense protocols: Comparison of benzo[a]pyrene yields from USA and UK cigarette blends. Available at: http://www.doh.gov.uk/scoth/technicaladvirsorygroup/usukbapcomp.pdf.
LGC Report FN40/M32/00. October 2000b. Cigarette yields using intense protocols: Part 3 - Nitric oxide yields. Available at: http://www.doh.gov.uk/scoth/technicaladvirsorygroup/usukbapcomp.pdf.
LGC Report GC15/M09/02. April 2002a. Comparison of mainstream smoke yields of tar, nicotine, and carbon monoxide and polycyclic aromatic hydrocarbons from cigarettes and small cigars. Available at: http://www.doh.gov.uk/scoth/pdfs/cigarcigarttepah.pdf
Mandel, J., (1991), Evaluation and Control of Measurements, Marcel Dekker, Inc., New York, Chapter 5.
Massachusetts General Laws Ann. 1997. Ch. 94, Sect. 307B, 105 Code of Massachusetts Regulations 660.000 et seq.
Massachusetts Department of Public Health. 1998. (Proposed regulation for comment) Testing and Reporting of Constituents of Cigarette Smoke. 105 Code of Massachusetts Regulations 665.000 et seq.
Massachusetts DPH, 1999, 2000, 2001. Annual Reports submitted by Philip Morris, Inc. Available from the Massachusetts Department of Public Health under the Massachusetts (US) public records law.
Miller, J. C. and Miller, J. N., (1993) Statistics for Analytical Chemistry, Ellis Horwood PTR Prentice Hall, New York, Chapter 5.
Myers, Raymond H. (1990), Classical and Modern Regression with Applications, Duxbury Press, Belmont, CA, Chapters 4 and 7.

PM3006878322

Source: https://www.industrydocuments.ucsf.edu/docs/lxlx0001

Reference
National Cancer Institute, August 1996. *The FTC Cigarette Test Method for Determining Tar, Nicotine, and Carbon Monoxide Yields of U.S. Cigarettes*; Report of the NCI Expert Committee. Smoking and Tobacco Control Monograph No. 7. Bethesda, Md: Department of Health and Human Services, National Institutes of Health, National Cancer Institute, NIH Pub. No. 96-4028, Chapters 1, 2, 9, 11.
National Cancer Institute, October 2001. *Risks Associated with Smoking Cigarettes with Low Machine-Measured Yields of Tar and Nicotine*. Smoking and Tobacco Control Monograph No. 13. Bethesda, Md: Department of Health and Human Services, National Institutes of Health, National Cancer Institute, NIH Pub. No. 02-5074, Chapters 3, 6, 7.
Purkis, S.W., Hill, C.A., Bailey, I.A. 2001. Current reliability of measurements of smoke Analytes. 55th Tobacco Science Research Conference, Greensboro, North Carolina, Paper No. 16, September 9-12.
Report of the Surgeon General. 1989. Reducing the health consequences of smoking: 25 years of progress. US Department of Health and Human Sevices, DHHS Publication No. (CDC) 89-8411.
Rickert, W.S., Robinson, J.C., Young, J.C., Collishaw, N.E., and Bray, D.F., 1983. A comparison of the yields of tar, nicotine, and carbon monoxide of 36 brands of Canadian cigarettes tested under three conditions, Preventive Medicine, 12: 682-694.
Roberts, D.L., 1988. Natural Tobacco Flavor. Recent Advances in Tobacco Science, 14, 49-81.
Smith, C.J., Livingston, S. D., Doolittle, D. J., 1997. An international literature survey of "IARC Group I Carcinogens" reported in mainstream cigarette smoke. Food and Chemical Toxicology, 35, 1107-1130.
Smith, C.J., Perfetti, T. A., Rumple, M.A., Rodgman, A., Doolittle, D.J., 2000. "IARC Group 2A Carcinogens" reported in cigarette mainstream smoke. Food and Chemical Toxicology, 38, 371-383.
Smith, C.J., Perfetti, T. A., Rumple, M.A., Rodgman, A., Doolittle, D.J., 2001. "IARC Group 2B Carcinogens" reported in cigarette mainstream smoke. Food and Chemical Toxicology, 38, 183-205.
Stohs, S.J., Bagchi, D., Bagchi, M. (1997) Toxicity of trace elements in tobacco smoke, Inhalation Toxicology, 9: 867-890.
Texas Health & Safety Code Ann. 1997. Sect. 161.251 et seq., 25 Texas Administration Code 101.1 et seq.
Williamson, J.T., Graham, J.F., Allman, D.R. (1965) The modification of cigarette smoke by filter tips, Beitrage zur Tabakforschung, 3(3): 233-242.
World Health Organization, 2000a. Monograph: Advancing Knowledge on Regulating Tobacco Poducts, Part 3. Regulatory Issues. Available at: http://www5.who.int/tobacco/repository/tld95/OsloMonograph.pdf.
World Health Organization, 2000b. Monograph: Advancing Knowledge on Regulating Tobacco Poducts, Part 2 . Product Issues. Available at: http:www5.who.int/tobacco/repository/tld95/OsloMonograph.pdf.
Young, J.C., Robinson, J.C., Rickert, W.S., 1981. How good are the numbers for cigarette tar at predicting deliveries of carbon monoxide, hydrogen cyanide, and acrolein? J. Toxicol. And Environ. Health, 7, 801-808.

PM3006878323

Source: https://www.industrydocuments.ucsf.edu/docs/lxlx0001